




VIDE PANTS / SIZES 32-56 (0-24)



Front view



Back view



Front view with pintucks

PATTERN FEATURES

- » Elastic waistband
- » Back waist darts for beautiful shaping
- » Side pockets
- » Slightly flared hem
- » Optional front pintucks

VIDE SEW-ALONG

For more tutorials and bonus instructions go to thelaststitch.com/vide sewalong

SIZE CHART BODY MEASUREMENTS / EUR & US

		32 (0)	34 (2)	36 (4)	38 (6)	40 (8)	42 (10)	44 (12)	46 (14)	48 (16)	50 (18)	52 (20)	54 (22)	56 (24)
Waist	CM	60	64	68	72	76	80	85	90	96	102	108	114	121
	INCH	23 ½	25	26 ¾	28 ½	30	31 ½	33	35	37 ½	39 ¾	42	44 ½	47 ¼
Hip	CM	84	88	92	96	100	104	108	112	117	122	127	132	137
	INCH	33	34 ½	36	37 ¾	39 ½	41	42 ½	44	46	48	50	52	54

Pattern is drafted for a person **168 cm (5'6")** tall.

VIDE PANTS FINISHED GARMENT MEASUREMENTS

		32 (0)	34 (2)	36 (4)	38 (6)	40 (8)	42 (10)	44 (12)	46 (14)	48 (16)	50 (18)	52 (20)	54 (22)	56 (24)
Waist*	CM	77	81	85	89	93	97	101	105	111	117	124	129	135
	INCH	30	31 ½	33 ¼	34 ¾	36 ½	37 ½	39 ½	41	43 ½	45 ½	48 ½	50 ¼	52 ¾
Hip	CM	85	87	92	96	99.5	103	107	110	115.6	121	126	131	136
	INCH	33 ¼	34	36	37 ½	38 ¾	40 ¼	41 ¾	43	45	47 ¼	49	51	53
Front crotch**	CM	19.6	20	20.5	21	21.5	22	22.5	23	23.8	24.5	25.5	26.3	27
	INCH	7 ½	7 ¾	8	8 ¼	8 ½	8 ½	8 ¾	9	9,3	9 ½	9,9	10,3	10 ½
Back crotch**	CM	31.6	32.6	33.6	34.7	35.7	36.7	37.7	38.7	40	41.4	42.6	44	45
	INCH	12 ¼	12 ¾	13	13 ½	13,9	14 ¼	14 ¾	15	15 ½	16	16 ½	17 ¼	17 ½
Inseam	CM	77.8	77.9	77.9	78	78	77.8	77.9	77.7	77.7	77.5	77.5	77.3	77.4
	INCH	30 ¼	30 ½	30	30 ½	30 ½	30 ¼	30	30 ¼	30 ¼	30 ¼	30 ¼	30	30 ¼
Hem	CM	49	50	51	52	53	54	55	56	57.8	59.6	61.4	63.2	65
	INCH	19	19 ½	19,9	20 ¼	20 ¾	21	21 ½	21 ¾	22 ½	23 ¼	23,9	24 ½	25 ½


*Mid-rise at front waist, below natural waist, above belly button.

Actual waist measurement is determined by fitting the elastic on the body.

** Crotch length is without waistband (waistband height is 5 cm/2")


HOW TO MEASURE

BODY MEASUREMENTS



1. Waist: Measure around the waistline
2. Hip: Around the fullest part of the hips

FINISHED GARMENT



FABRIC REQUIREMENTS / 140 CM WIDE (55")

ALL VERSIONS		32 (0)	34 (2)	36 (4)	38 (6)	40 (8)	42 (10)	44 (12)	46 (14)	48 (16)	50 (18)	52 (20)	54 (22)	56 (24)
Fabric	METER	1.4	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.4	2.4	2.5	2.5
	YARD	1.5	1.6	1.7	1.8	1.9	2.0	2.0	2.1	2.2	2.6	2.6	2.7	2.7
Lining (L x W)	CM	30x45	30x45	30x45	30x45	30x45	30x45	30x45	30x45	30x45	30x45	35x50	35x50	35x50
	INCH	12x18	12x18	12x18	12x18	12x18	12x18	12x18	12x18	12x18	12x18	14x20	14x20	14x20

ELASTIC REQUIREMENTS / 5CM WIDE (2")

ALL VERSIONS		32 (0)	34 (2)	36 (4)	38 (6)	40 (8)	42 (10)	44 (12)	46 (14)	48 (16)	50 (18)	52 (20)	54 (22)	56 (24)
Elastic	CM	80	84	88	92	96	100	104	108	114	120	127	132	138w
	INCH	30 ¼	32 ¾	34 ½	36	37 ½	39	40 ½	42	44	46 ¾	49 ½	51 ½	53 ¾

Notions:

- » Lightweight fusible interfacing to stabilise pocket opening

IMPORTANT

When using napped fabric, such as velour, add more fabric length since all pieces has to be cut in the same direction.

HOW TO PICK THE RIGHT FABRIC

- » Recommended fabrics: Medium to heavy knit fabrics, such as Ponte di Roma, Milano, Courtelle jersey, French terry, heavy jersey, felted wool jersey and cotton velour.
- » Fairly stable, yet soft fabrics, are ideal for the Vide pants.
- » Choose a knit that has at least 20% stretch crosswise and moderate to minimal stretch lengthwise.
- » Pocket lining: Soft lightweight jersey (use scraps or an old t-shirt).

10 cm (4") of fabric should stretch to	at least here
--	---------------